

Mirror range

Reflective aluminum

Color your world



EURAMAX

A photograph of a modern, curved residential care center. The building features a prominent glass facade that reflects the sky and surrounding greenery. The structure is multi-storied with a curved, semi-circular design. The ground floor has large glass windows and doors, revealing an outdoor seating area with tables and chairs. The upper floors have balconies with glass railings. The building is surrounded by lush green trees and a well-maintained lawn. The sky is blue with some light clouds.

Innovative **mirror** finishes

Reflective aluminum

The Mirror range is a series of innovative mirror finishes designed to give a new reflective dimension to your facade, ceiling and interior projects. True reflective characteristics are achieved using mirror anodized aluminum substrates that are coated and sealed to perfection.

The anti-scratch clearcoat protects the surface and offers an excellent exterior durability. Currently the Mirror range features two distinctive finishes with different reflection grades available on a huge bandwidth of cladding solutions.



Contact our **Architectural Support** for information or samples:

T +31 (0)475 370 341 | E max@euramax.eu

We are happy to speak to you in





MirrorLite
Bright MIRROR
(90N1047.90)



MirrorMatte
Cotton MIRROR 125
(90N1047.90)



MirrorLite collection



IJhal | Amsterdam (NL)



Polyclinique Nord Aquitaine | Bordeaux (FR)

Coil coating is the process of coating metal coils in a continuous and highly automated process. The result is a superior quality product that is light in weight and easy to bend and form.



Residential Care Center | Hollebeek (BE)



Anne de Bretagne School | Saint-Herblain (FR)

Benefits

- Perfect alternative to polished stainless steel
- Excellent exterior durability
- Outstanding dirt repellence / easy to clean
- Easy bending (within tolerances)
- Good abrasive resistance

Guidelines

- Bending specification $\geq 4 T$ (IR = $\geq 4 T \times$ metal thickness) / (OR = IR + metal thickness)
- Order projects in one batch to ensure maximum surface consistency
- Maximum width 1250 mm / Thickness 0.4 – 1.0 mm
- Aluminum alloy 1050H48 (others on request)
- Minimum order quantity as from 500 m²
- Supplied with protective film
- Other mirror surfaces on request

Euramax Coated Products

Industrieweg 6 | 6045 JG | Roermond
PO Box 29 | 6040 AA | Roermond
The Netherlands
T +31 (0)475 370 303 | F +31 (0)475 323 923
max@euramax.eu

www.euramax.eu

Disclaimer

The information contained herein (the "Information") – including pictures, colours, descriptions, statements with regard to size, quality, availability and the like – is provided by Euramax Coated Products BV ("Euramax") by way of non-binding information. Euramax makes no representations or warranties of any kind, express or implied, about the availability of products and/or the completeness, accuracy or reliability of the Information. Any reliance on the Information is at your own risk.

Colour samples are an indication of the (aesthetics of the) final product to be supplied. Due to the nature of the coating process measurable colour differences from the sample may occur. References to colour standards, such as RAL and Pantone, are an indication only and are solely used for ease of colour communication. No representations or warranties regarding the colour of the final products can be derived from a reference to a colour standard. The Information remains the property of Euramax.

All copyrights and/or other intellectual property rights in Information belong to Euramax. The contents of this Information are subject to amendment without notification.

This disclaimer is provided by Euramax Coated Products BV. We are registered in the Netherlands under company number 13013614. Please contact Euramax Coated Products BV for additional information or questions +31 475370303.



EURAMAX