

"Derbigum aims to be the reference provider of sustainable solutions that safeguard buildings from the elements of nature."









PRODUCT OVERVIEW








MEMBRANES - CAP SHEET

		Article Number	Color	Thickn. (mm)	Length (m)	Width (m)	m2/roll	# rolls/pallet	m2/pallet	Unit	HS Code
 <p>DERBIGUM® SP FR Fire resistant APP-bitumen waterproofing membrane</p>		P101401000RAA		4	10	1,10	11	20	220	m2	68071010
		P101400727RAA		4	7,27	1,10	8	25	200	m2	68071010
 <p>DERBIGUM® NT Bituminous waterproofing membrane with New Ecological Technology</p>		P131300727RAA		3	7,27	1,10	8	30	240	m2	68071010
		P131400727RAA		4	7,27	1,10	8	25	200	m2	68071010
 <p>DERBIGUM® AR Anti-root APP-bitumen waterproofing membrane for green roofs</p>		P106400727RAC		4	7,27	1,10	8	25	200	m2	68071010
 <p>DERBICOLOR® FR Fire resistant APP-bitumen mineral surfaced waterproofing membrane</p>		P201400727 RMC WM	Light Grey	4	7,27	1,10	8	25	200	m2	68071010
		P201400727 RNC WM	Dark Grey	4	7,27	1,10	8	25	200	m2	68071010
		P201400727 ROC	Green	4	7,27	1,10	8	20	160	m2	68071010
		P201400727 RDC	Brown burgundy	4	7,27	1,10	8	20	160	m2	68071010
		P201400727 RQC WM	White	4	7,27	1,10	8	25	200	m2	68071010
 <p>DERBICOLOR® FR OLIVINE APP-bitumen membrane with olivine granules as a finishing layer. The mineral olivine has the capacity to neutralize CO2 from the atmosphere</p>		P201400727RSC	olivine	4	7,27	1,10	8	20	160	m2	68071010
 <p>DERBIBRITE NT® Copolymer bitumen membrane, covered with a highly reflective white acryl coating. Acting as a passive cooler, thus reducing heat transmittance inside the building and allowing cost savings on cooling energy.</p>		P425301000RZC	White	3	10	1	10	25	250	m2	68071010











MEMBRANES - CIVIL ENGINEERING

	Article Number	Thickn. (mm)	Length (m)	Width (m)	m2/ roll	# rolls/ pallet	m2/ pallet	Unit	HS Code
 <p>DERBIGUM® GC APP-bitumen waterproofing membrane with enhanced mechanical resistance for civil engineering works, such as bridges, parking decks, etc.</p>	P121400727RAA	4	7,27	1,1	8,00	25	200	m2	68071010
	P120500727RAA	5	7,27	1,10	8	20	160	m2	68071010
 <p>DERBIGUM® GC AR Anti-root APP-bitumen waterproofing membrane for civil engineering works</p>	P126500727RAC	5	7,27	1,1	8,00	20	160	m2	68071010












MEMBRANES - BASE SHEET

	Article Number	Thickn. (mm)	Length (m)	Width (m)	m2/ roll	# rolls/ pallet	m2/ pallet	Unit	HS Code
 <p>DERBICOAT® NT Bituminous multi-purpose base sheet (or vapour barrier) with New Ecological Technology</p>	P350250727RCD	2,5	7,27	1,1	8,00	36	288	m2	68071010
 <p>DERBICOAT® HP APP-bitumen base sheet (or vapour barrier) with composite reinforcement</p>	P310251273RAC	2,5	12,73	1,1	14,00	25	350	m2	68071010
 <p>DERBICOAT® HP LAPFIX Base Sheet with self-adhesive overlaps developed to be applied as a loosely laid or mechanically fixed flame barrier on heat-sensitive supports</p>	P312201000RTB SC	2	10	1	10,00	30	300	m2	68071010
 <p>DERBICOAT® HP SELFIX Self-adhesive base sheet or vapour barrier composed of an elastomeric bitumen blend, a glass / nonwoven polyester reinforcement and sanded upper side</p>	P311201000RTT SC	2	10	1	10,00	30	300	m2	68071010
 <p>DERBICOAT® HP SKT Self-adhesive base sheet with self-adhesive strips composed of an elastomeric bitumen blend and a glass/ non-woven polyester reinforcement</p>	P351300727RPB	3	7,27	1,1	8,00	25	200	m2	68071010
 <p>DERBICOAT® ALU APP-bitumen vapour-barrier with aluminium sheet</p>	P330301000RAB	3	10	1,1	11,00	25	275	m2	68071010
 <p>DERBICOAT® HOT BITUMEN The underlayer for hot bitumen application composed by modified bitumen, with a reinforced polyester as reinforcement</p>	P382152000RAC	1,5	20	1	20,00	25	500	m2	68071010












LIQUID PRODUCTS

	Article Number	Color	Conditioning	#/pallet or box	qty/pallet	Unit	HS Code	
	DERBIPRIMER® S Cold bituminous impregnation primer	PDPS20	can 20 liter	up to 36/pal	up to 720 liter	l	27150000	
	DERBIPRIMER® E Cold bituminous primer emulsion (water based)	PDPE20	can 20 liter	up to 36/pal	up to 720 liter	l	32099000	
	DERBIPRIMER® GC Cold bituminous impregnation varnish with enhanced adhesion on slightly humid surfaces (damp, but not wet). Also suitable for civil construction and parking decks.	PDPG20	can 20 liter	up to 36/pal	up to 720 liter	l	27150000	
		PDPG1000	cubitainer 1000 liter	1 /pal	1000 liter	l	27150000	
	DERBIBOND® NT Environmentally- friendly bituminous cold adhesive for the bonding of bituminous waterproofing membranes on suitable substrates. Not suitable for Derbibrite NT.	PDBNT25MD	can 25 kg	up to 36/pal	up to 900 kg	kg	27150000	
	DERBIBOND® S Bituminous cold adhesive for the bonding of bituminous waterproofing membranes on suitable substrates	PDBO25MD	can 25 kg	up to 36/pal	up to 900 kg	kg	27150000	
	DERBISEAL® S Quick-bonding modified bitumen mastic, suitable for adhering various insulation boards and sealing overlaps	PDSE3	tube 3 kg	6 tubes/box	according demand	kg	27150000	
	DERBIMASTIC® S Bituminous paste for finishing, repairing and jointing.	PDMA25	can 25 kg	up to 36/pal	up to 900 kg	kg	27150000	
		PDMA310	cartridge 310 ml	12 cartridges/box	according demand	pc	27150000	
	DERBITECH® Sealstick Eco - friendly fast curing flexible adhesive (HD polymer) and professional sealant.	PDTECHSS290B	Black	cartridge 290 ml	12 cartridges/box	according demand	pc	32141000
		PDTECHSS290G	Grey	cartridge 290 ml	12 cartridges/box	according demand	pc	32141000
	DERBITECH® FA Ecological two-component PU adhesive designed to bond approved roof insulations to a building's structural roof deck, base sheets or other insulation boards.	PDTECH-FA	cartridge 1,5 liter	4 cartridges/box	according demand	pc	32141000	















LIQUID PRODUCTS


	Article Number	Comp Color	Conditioning	max pc/pallet	max l/pallet	Unit	HS Code
 <p>DERBILQUID® S</p> <p>Bituminous coating for regeneration and waterproofing, designed for renovation and maintenance of dried-out roofs, sheet iron, steel or aluminum decks, concrete foundations, fibre-cements and old bituminous roofing membranes</p>	PDLI20		can 20 liter	36/pal	720 liter	l	27150000
 <p>DERBISILVER®</p> <p>Bitumen-based aluminium paint for surface protection and finish, designed for application on bituminous waterproofing membranes</p>	PDSI20A		can 20 liter	36/pal	720 liter	l	27150000
 <p>DERBISILVERTOP® Spray</p> <p>Aluminium coating designed for the renovation and maintenance of roofs.</p>	PDSI20A		can 20 liter	36/pal	720 liter	l	27150000
 <p>DERBIPAINT®</p> <p>Water based acrylic paint mainly applied for aesthetic reasons on smooth waterproofing membranes</p>	PDPA10	Black	can 10 liter	72/pal	720 liter	l	32091000
	PDPA10W	White	can 10 liter	72/pal	720 liter	l	32091000
	PDPA10LG	Grey	can 10 liter	72/pal	720 liter	l	32091000
	PDPA10TC	Terracotta	can 10 liter	72/pal	720 liter	l	32091000
 <p>DERBIZINC®</p> <p>Single-component polyurethane coating designed to increase the longevity of non-ferrous roof metals like zinc, lead and copper guttering</p>	PDZ10A		can 10 l	72/pal	720 l	l	32091000
 <p>DERBIFILL® S</p> <p>Bituminous mass for the levelling of roofs and for rectifying counterslopes, slopes and depressions</p>	PDFI25		can 25 kg	36/pal	900 kg	kg	68079000
 <p>DERBICLEAN® NT</p> <p>Biodegradable cleaner for the removal of bituminous stains on membranes with an acrylic top coating and bituminous products from the application material</p>	PDN5		can 5 l	180/pal	900 l	l	39069010
 <p>DERBIGUM® DMS</p> <p>A two-component multi functional bituminous waterproofing system, which is excellent for bonding bituminous waterproofing membranes, for sealing the overlaps of these membranes, for bonding insulation, for working as a temporary waterproofing and for correcting the irregularities on a concrete substrate</p>	PDBPL15	COMP A	can 15 kg	according demand		pc	27150000
	PDBPL-COMP-B1	COMP B	can 2,25 kg	according demand		pc	40021100
	PDBPL-COMP-C	COMP C	can 400 g	according demand		pc	47069100
	PDBPL15-KIT	KIT	kit 17,65 kg	according demand		kit	27150000







ACCESSORIES & TOOLS

TOOLS			Article Number	Unit	HS Code
	Welding torch DT 2045	for detail work	PEXDT20	pc	84681000
	Welding torch SB 6051	for main surfaces	PEXSB60	pc	84681000
	Pressure roll nylon (small)	for detail work	PROLNY	pc	84294030
	Pressure roll 15 kg	for all membranes, except Derbibrite NT	PROL12	pc	84294030
	Pressure roll 9 kg	for Derbibrite NT	PROL10	pc	84294030
	Squeegee	for Derbibond cold adhesive application	PRACLAM	pc	96039099
	Mastic Gun K4	for Derbiseal S mastic application (tubes)	PPOMP4-BP	pc	84681000
	Small roofer's trowel		PTRUELPL	pc	82055910
	Derbitech Powered Applicator		PDTECH-GUN4CART	pc	32141000

FLASHING AND ROOF EDGE PROFILES			Article Number	Conditioning	#/pallet or box	qty/pallet	Unit	HS Code	
	ROFYCOM FL	Rofycom FL is a wall flashing profile that is made of a high-quality composite material.	PRSOLIN	profile 3m	90 ml/box	according demand	lm	39169011	
	ROFYCOM RE	Rofycom RE is a roof edge profile that is made of a high-quality composite material.							
			A: 40 mm	PRP001B	profile 3m	30 ml/box	according demand	lm	39169011
			A: 50 mm	PRP005B	profile 3m	30 ml/box	according demand	lm	39169011
			A: 65 mm	PRP006B	profile 3m	30 ml/box	according demand	lm	39169011
			A: 80 mm	PRP008B	profile 3m	30 ml/box	according demand	lm	39169011
			A: 100 mm	PRP012B	profile 3m	30 ml/box	according demand	lm	39169011



ROOF DRAINS IN STAINLESS STEEL

VERTICAL ROOF DRAINS		Article Number	Length drain pipe	Ext. diametre	Pieces/carton	Unit	HS Code
	DERBIDRAIN V 75 / 400	DG71075-400	400	75 mm	5	pc	40169988
	DERBIDRAIN V 75 / 600	DG71075-600	600	75 mm	5	pc	40169988
	DERBIDRAIN V 90 / 400	DG71090-400	400	90 mm	5	pc	40169988
	DERBIDRAIN V 90 / 600	DG71090-600	600	90 mm	5	pc	40169988
	DERBIDRAIN V 110 / 400	DG71110-400	400	110 mm	5	pc	40169988
	DERBIDRAIN V 110 / 600	DG71110-600	600	110 mm	5	pc	40169988
	DERBIDRAIN V 125 / 400	DG71125-400	400	125 mm	5	pc	40169988
	DERBIDRAIN V 125 / 600	DG71125-600	600	125 mm	5	pc	40169988
	DERBIDRAIN V 160 / 400	DG71160-400	400	160 mm	5	pc	40169988
	DERBIDRAIN V 160 / 600	DG71160-600	600	160 mm	5	pc	40169988
ANGULAR ROOF DRAINS		Article Number	Length drain pipe	Ext. diametre	Pieces/carton	Unit	HS Code
	DERBIDRAIN H 75 / 400	DG71075H-400	400	75 mm	5	pc	40169988
	DERBIDRAIN H 75 / 600	DG71075H-600	600	75 mm	5	pc	40169988
	DERBIDRAIN H 90 / 400	DG71090H-400	400	90 mm	5	pc	40169988
	DERBIDRAIN H 90 / 600	DG71090H-600	600	90 mm	5	pc	40169988
	DERBIDRAIN H 110 / 400	DG71110H-400	400	110 mm	5	pc	40169988
	DERBIDRAIN H 110 / 600	DG71110H-600	600	110 mm	5	pc	40169988
LEAF GUARDS		Article Number		Ext. diametre	Pieces/carton	Unit	HS Code
	Vertical leaf guard - stainless steel	DG70000		Ø 50 - Ø 110 mm	10	pc	39269099
	Horizontal leaf guard- stainless steel	DG72000H		Ø 75 - Ø 110 mm	10	pc	39269099

Drains and leaf guards on demand; are supplied per full carton



IMPERBEL sa/nv
 Bergensesteenweg 32 – B-1651 Lot
 © 02 334 87 00
 Fax: 02 378 14 69
 E-mail: info@derbigum.com

www.derbigum.com

